Application No.: 10/530,108 Filing Date: April 1, 2005

## AMENDMENTS TO THE CLAIMS

1. **(Currently amended)** A process for amplifying TALL-104 lymphocytes in a homogeneous <u>culture</u> system within a multi-chamber stack, <u>single fermentation unit</u> comprising:

adding into the multi-chamber stack an inoculum of at least  $0.7x10^6$  TALL-104 cells/ml in an initial volume from of 1/10 to 1/6 of the mutimulti-chamber stack final volume capacity and the same volume of fresh antibiotic-free complete medium;

amplifying the cell number by adding a volume of complete medium volume corresponding to the volume that contained in the multi-chamber stack every 3-5 days; and

recovering at least 1x10<sup>9</sup> TALL-104 cells grown in homogeneous conditions.

- 2. (Canceled)
- 3. (Canceled)
- 4. (Canceled)
- 5. (Currently amended) The process as claimed in claim 1, wherein said process for amplifying TALL-104 lymphocytes is preceded by a process of pre–expansion in a flask until obtaining a number of cells in an amount from  $0.7 ext{ to } 1 ext{x} 10^8$  to  $4 ext{x} 10^8$ .
- 6. (Currently amended) The process as claimed in claim 1, wherein the cellular density of the inoculum is at least  $0.75 \times 10^6$  cells/ml and, at the harvest time, the density is lower than  $2 \times 10^6$  cells/ml.
- 7. **(Previously presented)** The process as claimed in claim 1, wherein the multi-chamber stack is a 10-chamber unit.
- 8. **(Previously presented)** The process as claimed in claim 1, wherein said TALL-104 lymphocytes are genetically modified.
  - 9. (Canceled)
- 10. (Currently amended) The process as claimed in Claim 1, wherein the complete culture medium in the multi-chamber stack amplification phase also comprises a maximum of 10% maximum human serum and interleukin in a concentration comprised from 80 to 120 IU/ml.
- 11. **(Previously presented)** The process as claimed in claim 10, wherein interleukin-2 is added to the cell culture every 48-90 hrs.
  - 12. (Canceled)

Application No.:

10/530,108

Filing Date:

**April 1, 2005** 

13. (Currently amended) A process for the preparation of frozen bags of TALL-104 lymphocytes in an amount of at least  $1x10^9$  cells comprising:, wherein the process according to Claim 1 is used

a. recovering at least 1x10<sup>9</sup> TALL-104 cells grown in a homogeneous culture system in a multi-chamber stack according to claim 1;

b. centrifuging the TALL-104 cells; and

c. collecting the TALL-104 cells into frozen bags.

- 14. (Currently amended) The process as claimed in claim 13, wherein the bags are is sealed transversally to a bag filling collet at least in two points to create at least a sampling chamber containing a cell culture volume ranging from 0.1 to 1 ml, physically separated from the culture contained in the bag to perform quality controls.
- 15. (Currently amended) A process for the preparation of a therapeutic dose of at least  $1x10^9$  TALL-104 lymphocytes in a homogeneous culture <u>system</u> comprising using the process according to Claim 1.
  - 16.-24. (Canceled)
- 25. (**Previously presented**) The process as claimed in claim 10 wherein said complete culture medium comprises 4-6% human serum.
- 26. (**Previously presented**) A process according to claim 10, wherein said TALL-104 lymphocytes are genetically modified.
  - 27. (Canceled)
- 28. (Currently amended) The process of claim 15, wherein the complete culture medium in the <u>multi-chamber stack cell-factory</u> amplification <u>amplification</u> phase also comprises a <u>maximum of 10% maximum</u> human serum and interleukin in a concentration from 80 to 120 IU/ml.